The new ROWE DocuPress. Technical Data





i4	
i6	
i8	i8L
i10	i10L







UNIQUE. PRINT HEAD RESOLUTION 1200 x 2400 dpi.*1

Future secure. ROWE V-POWER Controller 3.0 Boost.

Unrivalled. Durability and Ergonomics.

⁺¹ World's <u>first</u> large-format LED printing system (monochrome) with a print head resolution of 1200 x 2400 dpi.

Illustrations, descriptions and software shown in this brochure contain additional equipment, which is not part of the standard scope of supply.

ROWE DocuPress. Model overview.



- Print speed
 4 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers
 2 or 3 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

ROWE DocuPress i6



- Print speed
 6 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers
 2 or 4 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

- Print speed
 8 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers 4 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

Illustrations, descriptions and software shown in this brochure contain additional equipment, which is not part of the standard scope of supply.

2

ROWE DocuPress. Model overview.



- Print speed
 10 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers 4 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

ROWE DocuPress i8L



- Print speed
 8 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers
 6 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

ROWE DocuPress i10L



- Print speed
 10 m per minute
- Print head resolution 1200 x 2400 dpi
- ROWE V-POWER Controller 3.0 Boost
- Automatic rollers
 6 automatic rollers
- ROWE FULL HD USER-INTERFACE with 24"Multi-Touchscreen (optional)
- ROWE MEDIA INPUT ASSISTANT (patented)
- ROWE FRONT DELIVERY TRAY (optional)

Illustrations, descriptions and software shown in this brochure contain additional equipment, which is not part of the standard scope of supply.

3

TECHNICAL DATA. ROWE DocuPress.

FEATURES	DESCRIPTION	i4	i6	i8	i10	i8L	i10L
Technology							
Product description	First completely modular black and white large format printer, with a print resolution of 1200 x 2400 dpi, extendable at any time to multifunctional All-in-One- System (printing, copying, scanning)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Imaging technology	Electrophotography printer (LED), organic photoconductor (OPC), clean, closed toner system, ROWE DocuPress fusing technology	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Print speed	Meters per minute	4	6	8	10	8	10
Color scanner							
ROWE Scan 450i (see <u>www.rowe.de</u> for complete technical data)	Scan width 36" (927 mm), optical resolution 1200 x 2400 dpi, ROWE ScanMatrix ⁺ , color depth 48 bit color, 16 bit grayscale, SuperSpeed USB 3.0 + RES, scanning speed up to 17 m/min (11.15 in/s), scan length not limited by scanner, ROWE SELECTED TRUE LIGHT, ROWE DYNAMIC STITCHING - RDS (patented), ROWE PRO LOGIC, ROWE SAFE DRIVE (patented), automated workflow (4 freely programmable Hot Keys on the operating panel of the scanner), automatic width recognition "On the fly" (patented), dynamic width recognition (patented), DOCUMENT IMPROVEMENT SYSTEM (DIS)	0/+	o / +	o/+	o/+	0 / +	0/+
Media handling							
	2 automatic rolls and single sheet feed	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Number of automatic media rolls	3rd automatic roll	o/+	-	-	-	-	-
Number of automatic media rolis	3rd + 4th automatic roll	-	o/+	\checkmark	\checkmark	\checkmark	\checkmark
	5th + 6th automatic roll	-	-	-	-	\checkmark	\checkmark
Media weight	60 - 110 g/m² (16-28 lb)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Roll width	279 - 914 mm (11"-36"), maximum 175 m (574 ft) per roll	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Manual feed	Width: 210 - 914 mm (8.27" - 36"), length: 210 mm - 200 m (8.27" - 7874")	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Media type	Paper, plain paper, transparent paper, recycled paper, fluorescent paper, colored paper and vellum; Film; film, polyester	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Rowe remaining length display	Automatically displays the remaining length of each roll	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress Standard Delivery Tray	Delivery tray at the back for up to 100 A4-A0 (A - E-size) printouts	\checkmark	1	1	1	\checkmark	1
ROWEDocuPress FRONT DELIVERY TRAY	Integrated FRONT DELMERY TRAY for up to 100 A4-A0 (A - E-size) printouts, requires no additional space, (standard delivery tray not applicable) can also be used as a scan delivery tray simply by tilting it back	0	0	0	0	0	0
Ergonomics							
ROWE DocuPress ERGOTEC	Innovative, ergonomic draver system with easy runners, parallel balance, buffered stops, whisper quiet o peration	\checkmark	~	~	~	~	~
ROWE MEDIA INPUT ASSISTANT (patented)	Safest, most ergonomical and fastest media input system, without roll holders, simple to operate	./	./	./	./	1	./
Nove medicing of Assistant (patence)		v	v	v	v	v	v
	Resolution: 1920 x 1080 pixels	0/+	0/+	o/+	0/+	o/+	0/+
Rowe full HD User-Interface	24" multifunctional touchscreen	0, .	0, .	0, .	0, .	07.	0,
	Holding arm with VESA MISD75/ 100 Holder for the touchscreen, swivelling	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
SuperSpeed USB 3.0 - Port directly at the printer	Printing directly from USB stick, scanning directly to USB stick	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Print quality							
ROWE HIGH-Q-PRINT/resolution	Print resolution 1200 × 2400 dpi, highly developed image processing, crystal clear lines, clear grayscale reproduction	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress SOLID PRINT TECHNOLOGY	Even large continuous black areas are printed evenly – no decrease in the quality of the print even with high volumes.	0	0	0	0	0	0
ROWE DocuPress	Fusing quality with flat printed images that can hardly be felt, optimal toner adhesion even when documents are folded	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Embedded ROWE V-POWER CONTROLLER							
3.0 Boost							
Platform	ROWE V-POWER CONTROLLER 3.0 Boost with integrated 64-bit operating system and virtual image processing system for 32-bit and 64-bit environments, web based with high performance simultaneous data conversion, concurrent scanning, copying and printing of individual documents or sets	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Interfaces	Ethernet 10/100/1000 MBit/s with RJ45	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Scan and print boxes	Local and remote boxes for direct storage of scans or for printing data files (listener function) with settings that can be configured individually, password protected (can be set)	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Security	E-data shredding, HTTPS and VPN Extended protection and logging functions for administrators	1	1 1	1 1	1 1	1 1	1
Secure Printing	PIN code protection, Follow-Me-Printing Interface	1	1	1		1	1
ROWE DATA SAFE +	Integrated system security with Live and Backup System		./	./	./	J	J
		V	~	~	~	~	~
Supported client operating systems	Certified ROWE Windows driver for Windows 7, 8, 8.1, 10, Windows Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022; ROWE PostScript 3 drivers for Windows 7, 8, 8.1, 10, 11, Windows Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022; platform independent ROWE web tools optimized for Microsoft Edge and Mozilla Firefox	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

KEY: 🗸 Standard equipment

o / + Accessory equipment, upgradeable

o Additional equipment

- Not available

FEATURES	DESCRIPTION	i4	i6	i8	i10	i8L	i10
Data formulat	HPGL, HPGL2, HPRTL, TIFF, G1, G2, G3, G4, Packed Bits, CALS 1 and 2, TAPE9, LZW, Multipage TIFF, Calcomp 906/907, HCBS, PNG, JPEG, CGM	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Data format	PostScript Level 2 and 3, PDF, PDF-A, Multipage PDF/PDF-A	o/+	o/+	o/+	o / +	o/+	o/
Vetwork protocols	TCP/IP, SMB, FTP, LPD, SNMP, Socket, RAW	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE APP CENTER							
ROWE DocuPress COCKPIT APP	Printer status with direct feedback, roll information (width, medium, remaining length), counter, system set up, switch off and new start in remote process	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Order transmission: web based clients, cloud, USB, preview, ROWE AUTO CROP (recognizes and automatically corrects unwanted white	./	./	./	./	./	./
ROWE DocuPress PRINT APP	margins) Order management personalized, intelligent job management with progress, queue management, preview and processing	, V	,	ý.	ý.	1	V
	function	0/+	0/+	0/+	0/+	0/+	0/
	Additional PRINT QUEUES for printing, list of printers supported and file printers available on request						
ROWE DocuPress COST TRACKER APP	Protocol of all print, scan and copy orders	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress TWAIN APP	Twain + Edit Functions: direct scanning in all applications with Twain support, basic kit image processing, 2 viewers (over and main), ICC color management, ROWE Scan 450i 36" embedded required	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress SCAN APP	Twain + Edit + Scan Functions: ROWE TWAIN APP and in addition intuitive operation via touchscreen or mouse and keyboard, Scan-to-Net, Scan-to- USB, Scan-to-E-Mail, Scan-to-Cloud, Scan-to-Box, ROWE Scan 450i 36" embedded required	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Twain + Edit + Scan + Copy Functions: ROWE TWAIN APP, ROWE SCAN APP and in addition Scan-to-Copy, Multiprint, Multitasking, Recopy, Closed-	/	/	/	/	/	/
ROWE DocuPress COPY APP	Loop color calibration, a printer driver for both inkjet printer and ROWE printer, ROWE Scan 450i 36″ embedded required	V	~	~	~	~	V
	Additional COPY DRIVERS: for copying, list of printers supported available on request	0/+	0/+	0/+	o / +	0/+	0/
ROWE DocuPress FOLD APP SE/PRO	Set-up and editing of folding programs, Folding System ROWEFOLD 721-4	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress WEB CONNECT APP	Platform independent web access, scanning in the cloud, printing from the cloud	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
ROWE DocuPress EDIT PROFESSIONAL APP	Functions: two point deskew, measurement of areas and distances directly in the scan, deaning, insertion of text and geometrical shapes, various layers, transparent objects, generation of color palettes, extended cutting functions	o / +	o/+	o / +	o / +	o/+	o/
ROWE DocuPress POSTSCRIPT/PDF APP	Direct printing of PostScript Level 2 and 3, PDF, PDF-A, MULTIPAGE PDF/PDF-A data files on ROWE DocuPress	o / +	0/+	0/+	o / +	o/+	o /
ROWE DocuPress PRINT SPECIALS APP	Editing of stamps, texts in margins, cover pages and pens	o / +	o/+	o/+	o / +	o/+	o/
ROWE DocuPress COST CENTER APP	Comprehensive cost management with calculation, limitation and filter functions. Prepaid, user and cost accounts, including forced accounting (on or off function)	o / +	o/+	o/+	o / +	o/+	o /
ROWE DocuPress i-DEC APP	Automatic detection of title block positions and rotation of data files for correct online folding in accordance with DIN	o / +	o/+	o/+	o / +	o/+	o/
Environment							
ROWE ecoToner	Toner tested for hamful substances Clean and	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	dosed toner system	~	~	~	~	~	~
Power consumption (watts)	Energy saving mode with programmable timer, incl. controller			4			
better than required by EU Energy Star	Printing mode	1200	1350	1450	1550	1450	155
Power supply	220/230 V, 50/60 Hz	\checkmark	\checkmark	√ 	√ ocurabla	\checkmark	\checkmark
Sound power level in db in acc. with ISO 7779 operator position)	Energy saving mode, incl. controller Printing mode	52	52	52	asurable 52	52	
indee. with be into operator position,	The following measurement results are clearly below the permitted values:	52	52	52	52	52	52
Ozone concentration	- Coloring medicine in results are clearly below the permitted values Color mg/m ³ (< Color 2002 ppm) average	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Printer recycling	Manufactured in steel or high quality recyclable plastics up to 98 % of the unit can be recycled. The remaining 2 % is non-toxic waste.	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Foner cartridge recycling	Cartridge made of completely recyclable plastic	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
	Printer 2 rolls	270	276				
	Printer 3 rolls	276 312	276	-	-	_	1
Weight in kg	Printer 4 rolls	-	334	334	334	-	-
	Printer 6 rolls ROME DocuPress FRONT DELIVERY TRAY			-	-	407	40
	ROWE DOCUPTESS FRONT DELIVERT TRAT	1	1274 (/	/	7	1
Dimensions in mm	Width/Height/Depth with ROWE DocuPress FRONT DELMERY TRAY, without multifunctional touchscreen		1408 (55.43")/ 164		1640 (6	(54.1")) 64.57") 29.88")	
Certifications	RoHS, EU ENERGY STAR, CE, CCC, UL, cUL, CB, FCC Part 15 Class B, EAC, BIS	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
							v
Made in Germany. ROWE Scan Mat		BIS		Т	he new R	OWE Doc	uPres



GROSSFORMAT: ROVE.

ROWE is the specialist for wide format from Germany, represented in 90 countries. Perfectly coordinated systems for scanning, printing and finishing as well as comprehensive software solutions for professional document workflow are developed and manfactured by ROWE. ROWE has the leading edge worldwide as the specialist and technological leader.



ROTH + WEBER GmbH 57520 Niederdreisbach GERMANY Tel.: +49 2743 9217-0

www.rowe.de



Copyright: ROTH + Weber GmbH 2023. All rights reserved. The information contained herein shall be subject to change without notice. ROWE shall not be liable for technical or editorial errors or any omissions contained herein. Product appearance, construction and/or specifikations shall be subject to change or amendement without notice. All traidmarks remain the property of their respective holders and are used only to describe the respectivee product. Their use in no way indicates any relationship between ROTH + WEBER GmbH and the holders of the mentioned trademarks. Illustrations may contain chargeable options that are not part of the standard scope of delivery.